




TECHNICAL CATALOGUE
**Accessories for liquid filled
transformers**


HV BUSHING ESAA STANDARD

*** HV - BUSHING ASSEMBLY - 11 KV/200A**




Voltage Rating	= 11KV
Current Rating	= 200A
Arcing Distance	= 175mm
Creep Distance	= 285mm
Stem Diameter	= 12mm
Stem Material	= Brass

*** HV - BUSHING ASSEMBLY - 11 KV/300A**





Voltage Rating	= 11KV
Current Rating	= 300A
Arcing Distance	= 175mm
Creep Distance	= 285mm
Stem Diameter	= 16mm
Stem Material	= Brass

*** HV - BUSHING ASSEMBLY - 11 KV/500A**




Voltage Rating	= 11KV
Current Rating	= 500A
Arcing Distance	= 175mm
Creep Distance	= 285mm
Stem Diameter	= 16mm
Stem Material	= Copper






Voltage Rating	= 12KV
Current Rating	= 300A
Arcing Distance	= 225mm
Creep Distance	= 345mm
Stem Diameter (D1)	= 16mm
Stem Material	= Brass




*** HV - BUSHING ASSEMBLY - 22 KV/200A**




Voltage Rating	= 22KV
Current Rating	= 200A
Arcing Distance	= 290mm
Creep Distance	= 480mm
Stem Diameter (D1)	= 12mm
Stem Material	= Brass

*** HV - BUSHING ASSEMBLY - 22 KV/300A**




Voltage Rating	= 22KV
Current Rating	= 300A
Arcing Distance	= 290mm
Creep Distance	= 480mm
Stem Diameter (D1)	= 16mm
Stem Material	= Brass

*** HV - BUSHING ASSEMBLY - 22 KV/500A**




Voltage Rating	= 22KV
Current Rating	= 500A
Arcing Distance	= 290mm
Creep Distance	= 480mm
Stem Diameter (D1)	= 16mm
Stem Material	= Copper

*** HV - BUSHING ASSEMBLY - 33 KV/167A**




Voltage Rating	= 33KV
Current Rating	= 167A
Arcing Distance	= 400mm
Creep Distance	= 700mm
Stem Diameter (D1)	= 10mm
Stem Material	= Copper

*** HV - BUSHING ASSEMBLY - 33 KV/200A**




Voltage Rating	= 33KV
Current Rating	= 200A
Arcing Distance	= 400mm
Creep Distance	= 700mm
Stem Diameter (D1)	= 12mm
Stem Material	= Brass

*** HV - BUSHING ASSEMBLY - 33 KV/300A**



Voltage Rating	= 33KV
Current Rating	= 300A
Arcing Distance	= 400mm
Creep Distance	= 700mm
Stem Diameter (D1)	= 16mm
Stem Material	= Brass

*** HV - BUSHING ASSEMBLY - 33 KV/500A**



Voltage Rating	= 33KV
Current Rating	= 500A
Arcing Distance	= 400mm
Creep Distance	= 700mm
Stem Diameter (D1)	= 16mm
Stem Material	= Copper